Capital Electric
A Sonepar Company

MID-ATLANTIC

SMARTBUYS

JANUARY-FEBRUARY 2022

New product features and promotions!

RIDGID

1453295

Ridgid 44473 SR-24 Line Locator with Bluetooth® and GPS [1453295]

Ridgid, page 45

RAB

1711596

NEW!! RAB X17FA15 X17 FA 15W LED 3K/4K/5K KNUCK BZ Flood Light Up to 2,194 Lumens, Knuckle Mount [1711596]

RAB, pages 17-19

GMLighting

1720294

NEW!! GM Lighting SHWO Smart 2.4 WIFI Outlet 120V White [1720294]

GM Lighting, page 20

Not all products available at all locations. Capital Electric is not responsible for misprints or typos. Prices valid January 1 - February 28, 2022 unless otherwise noted. Prices and offers are subject to change or cancellation without notice. Speak to your Capital Electric salesperson for more details. Shop online 24/7 at capitalelectricsupply.com!

The electrical distributor of choice

Capital Electric
A Sonepar Company

DIGITAL SOLUTIONS
QUICK-SCAN

GIVE IT A TRY WITH SMART BUYS!

Barcodes included for all products.

SCAN TO ORDER IN SECONDS

Our mobile app is designed to save you time and boost productivity. The quick-scan feature easily reads product labels for efficient ordering and eliminates manual entry errors in just three steps!

GET IT ON Google Play

Download on the App Store



1 PRINT

We print individual labels to place on bins or shelving and build a label booklet for easy access from anywhere.

2 SCAN

Scan from various locations, including storerooms, jobsites, service vans, and more.

3 ORDER

Eliminate manual entry to avoid errors. Easily add to a cart and place your order.

More app benefits include: Search products, view pricing and availability, order quoted material, view frequently purchased products, order from product lists, view spec sheets, and scan UPC labels.

Download the app today!

For questions, contact Digital Support at digitalsupport@capitalelectricsupply.com or call 804-588-4867. You can also visit us at capitalelectricsupply.com!

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

The driverless JSBT Slim-Tapered is a low-profile economical solution for any JBox installation. These mount directly over standard junction boxes installed from below providing general illumination with an inexpensive Jbox allowing the fixture to be installed below the ceiling making the total install cost - budget friendly.

1703426

NEW!! JUNO Lighting JSBT-4IN-30K-90CRI-WL-MW-M6 4IN Slimbasics Tapered Surface Mnt Round 3000K 90+CRI Matte White [1703426]

1703425

NEW!! JUNO Lighting JSBT 6IN 30K 90CRI WL MW M6 Sur 6IN Slimbasics Tapered Surface Mnt Round 3000K 90+CRI Matte White [1703425]

JUNO®

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

COOPER Lighting Solutions

NEW PRODUCTS!

1705457

NEW!! Metalux 24CGTS-L3C3 2x4 LED Backlit Flat Panel, 3600-6648 Selectable Lumens, 35K/40K/50K CCT, 80+ CRI [1705457]

PRODUCT FEATURES

- 1x4, 2x2, and 2x4 sizes available
- Thin 2.125” inch height
- Fits in shallow plenums with room to spare
- Robust die-formed steel housing is post-painted for maximum durability
- Acrylic microoptics provide uniform illumination from corner to corner
- Extruded aluminum bezel tightly sealed to the housing for durability
- High performance efficacy up to 117 lm/W
- 80 CRI (minimum) and available in 3500K, 4000K, and 5000K CCT
- Surface or suspension mounting available

1713643

NEW!! Metalux 22CGTS-L3C3 2x2 LED Backlit Flat Panel, 2750-4808 Selectable Lumens, 35K/40K/50K CCT, 80+ CRI [1713643]

PRODUCT FEATURES

- 1x4, 2x2, and 2x4 sizes available
- Thin 2.125” inch height
- Fits in shallow plenums with room to spare
- Robust die-formed steel housing is post-painted for maximum durability
- Acrylic microoptics provide uniform illumination from corner to corner
- Extruded aluminum bezel tightly sealed to the housing for durability
- High performance efficacy up to 117 lm/W
- 80 CRI (minimum) and available in 3500K, 4000K, and 5000K CCT
- Surface or suspension mounting available

Top Product Features

- CGT/CGTS steel housing is post-painted to increase efficacy, facilitate installation, and inhibit corrosion
- CGT/CGTS acrylic micro-optics provide uniform illumination across the entire lens
- CGT/CGTS extruded aluminum door frame tightly seals to the housing for optimal performance and aesthetics. Minimum fixture height ideal for shallow plenum.
- CGTS has three color temperature and three lumen package choices for use in a variety of applications
- CGTS selectable switches located on the top of the junction box, for quick and easy adjustment

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

COOPER
Lighting Solutions

NEW PRODUCTS!

TOP PRODUCT FEATURES

- 6” LED Direct Mount Night Light with Field Selectable CCT
- Direct mount - does not require recessed housing or junction box
- Select from 5 CCTs via switch: 2700K, 3000K, 3500K, 4000K, 5000K CCT
- Night light provides soft glow at 2000K CCT
- Wet location listed for showers and protected ceilings
- Dimmable to 5% with 120V dimmers

HALO

RL4 Slope Ceiling | Direct Mount

4” Slope Ceiling LED Direct Mount Module
900 Lumen Series

1740482

Typical Applications
Residential

NEW!! Cooper RLS4099FS1EWHDMR Slope Direct Mount [1740482]

HALO

RL6 Slope Ceiling | Direct Mount

6” Slope Ceiling LED Direct Mount Module
1500 Lumen Series

1740483

Typical Applications
Residential

NEW!! Cooper RLS6159FS1EWHDMR Slope Ceiling I Direct Mount [1740483]

HALO

NightLight RL6-DM

6” Night Light LED Retrofit Direct Mount
w/ Remote Driver/Junction Box
1000 Lumen Series

1736410

Typical Applications
Residential

NEW!! Cooper RL6069NLWHDMR NightLight RL6-DM [1736410]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

COOPER Lighting Solutions

Lumark AP

WPM Wall Pack B-Series

Wall Mount Luminaire

Product Features

Selectable lumens · seleCCTable colors · DUSK-TO-DAWN · MARKETPRO STOCK PROGRAM

1736411

NEW!! Lumark WPMLED15S LED Wall Mount Luminaire, 4000-7800 / 30-60W Selectable Lumens, 30/40/50K CCT, 80CRI, 120-347V, w/ Photocontrol
[1736411]

Product Certifications

UL CERTIFIED · DLC QPL LISTED · FC CLASS A CAN ICES-005 · RoHS COMPLIANT · wet location · 5 YEAR LIMITED WARRANTY

PRODUCT FEATURES

- 15.94 IN Length 12.01 IN Width 10.83 IN Height
- Fixed output and selectable configurations available
- Die-cast aluminum construction. Borosilicate refractive glass lens
- Removable door allows for easy installation
- Replaces 70W up to 250W HID equivalent
- Efficacies up to 149 lumens per watt
- Energy and maintenance savings up to 89% versus HID solutions
- Lumen packages ranging from 3,500-13,400 lumens
- Standard bronze finish

1736412

NEW!! Lumark WPMLED25S LED Wall Mount Luminaire, 9800-13,400 / 70-100W Selectable Lumens, 30/40/50K CCT, 80CRI, 120-347V, w/ Photocontrol
[1736412]

SMARTBUYS

Pricing valid January 1 - February 28, 2021

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

HALO® Canless EZ-Trim

Lamp-Based Canless Trim

NEW PRODUCTS!

HALO is pleased to announce the addition of the Canless EZ-Trim to our family of direct mount downlights! The Canless EZ-Trim bridges the gap between traditional downlighting (housing + trim + lamp) and canless LED downlighting. Canless EZ-Trim is available in 4" and 6" apertures and is designed to look like HALO's best-selling trim, the 6125WB. It features a durable metal trim, attached junction box, and white baffles for ultimate visual comfort.

Options for GU10, GU24, and E26 lamp bases make Canless EZ-Trim compatible with most LED lamps on the market. Shallow options are available for all aperture sizes, making this a perfect solution for 2x6 construction. It's air-tite, IC rated, and of course, no housings are required for installation.

HALO Canless EZ-Trim is a perfect solution for customers looking for value-priced, canless solutions in single-family and multi-family residential applications.

Features at a Glance

- Available in 4" and 6" aperture
- Designed to look like HALO's best-selling trim – the 6125WB
- Baffle design
- Options for shallow ceiling plenums or 2x6 construction
- Multiple lamp base options: GU10, E26, GU24
- Compatible with most LED lamps on the market
- Lamp sold separately
- Canless installation, no housing required
- Air-Tite and IC rated

1744145

NEW!! Cooper Lighting CEZ4125E26WBICAT 4-inch Canless EZ-Trim, ETNCL

[1744145]

1744152

NEW!! Cooper Lighting CEZ6126E26WBICAT 6-inch Canless EZ-Trim, ETNCL

[1744152]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

TWX LED

Innovative Glass Wall Packs

1656273

NEW!! Lithonia Lighting TWX1-LED-ALO-40K-MVOLT-DDBTXD 36W LED Wall Pack Lumen Selectable 4000K 120/277V [1656273]

1655909

NEW!! Lithonia Lighting TWX2-LED-ALO-40K-MVOLT-DDBTXD 54W LED Wall Pack Lumen Selectable 4000K 120/277V [1655909]

1653599

NEW!! Lithonia Lighting TWX2-LED-ALO-50K-MVOLT-DDBTXD 54W LED Wall Pack Lumen Selectable 5000K 120/277V [1653599]

1654960

NEW!! Lithonia Lighting TWX3-LED-ALO-40K-MVOLT-DDBTXD 108W LED Wall Pack Lumen Selectable 4000K 120/277V [1654960]

1656166

NEW!! Lithonia Lighting TWX3-LED-ALO-50K-MVOLT-DDBTXD 108W LED Wall Pack Lumen Selectable 5000K 120/277V [1656166]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

CS CONTRACTOR SELECT™

LITHONIA LIGHTING®

NEW PRODUCTS!

Contractor Select™

EXRG

Lithonia Lighting Basics™ LED Exit

CERTIFIED IN TITLE 20 † LED FC UL LISTED

† Exit Signs Certified in the CA Title 20 Appliance Efficiency Database.

1668333

NEW!! Lithonia Lighting EXRG-EL-M6 Switchable Red/Green LED Exit Sign W/Battery Back Up [1668333]

NEW PRODUCTS!

Contractor Select™

ECRG

Lithonia Lighting Basics™ Emergency Light/Exit Combo

CERTIFIED IN TITLE 20 † UL LISTED FC

† Exit Signs Certified in the CA Title 20 Appliance Efficiency Database.

1673851

NEW!! Lithonia Lighting ECRG-RD-M6 Switchable Red/Green LED Exit/ Emergency Combo Sign [1673851]

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

LITHONIA LIGHTING®

NEW PRODUCTS!

The HomeGuard LED family of security flood lights, built with rugged die cast aluminum construction, are long lasting, energy efficient solutions for replacing incandescent PAR lamp fixtures. Mounted under an eave or on a wall, these luminaires provide reliable security lighting in residential and commercial applications.

1730755

NEW!! Lithonia Lighting HGX-LED-2RH-ALO-SWW2-120-PIR-DDB-M2 2-Light LED Floodlight w/ Motion Sensor, Adjustable Lumens, 3000K/4000K/5000K Switchable CCT, Bronze [1730755]

1730752

NEW!! Lithonia Lighting HGX-LED-2RH-ALO-SWW2-120-PIR-WH-M2 2-Light LED Floodlight w/ Motion Sensor, Adjustable Lumens, 3000K/4000K/5000K Switchable CCT, White/Bronze
[1730752]

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

ZLED LIGHTING
ZLED-LIGHTING.COM

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

MAGNILUMEN PLUS+™ THE NEXT GENERATION IN LED MAGNETIC RETROFITTING

2 AND 4 FOOT RETROFIT KITS

Magnilumen Plus is designed to retrofit fluorescent fixtures with standard 0-10 volt dimming. Kits are easy to install and fit into almost any existing linear fluorescent fixture with onboard magnets. Magnilumen Plus delivers up to an additional 25% in energy savings from the standard Magnilumen kit via a significant increase in fixture ecacy.

It also delivers these amazing benefits:

- Increased Lumen Output: 20% increase in output per LED Board.
- Enhanced Product Flexibility: Wattage Selectable and Color Selectable
- (CSK - Color Selectable Kelvin in Retail Packs Only) options allow the end user to adjust lumen output and color temperature to their specific needs.
- Ease of Use: New Pre-installed onboard magnets and slide out foot for screw mounting, making installation a breeze.
- Energy Savings: DLC (150 lm/W) with cover installed made possible via higher product ecacy. Also 180 lm/W without cover for maximized savings.

PRODUCT FEATURES

- Wattages: Wattage selectable drivers
- Color Temperatures: 30K, 35K, 40K, 50K, 65K, Green, Blue, Yellow, Orange, Red (color selectable in retail pack only)
- Lumens: 150 lm/W with frost diuser, 180 lm/W no diuser
- Voltage Input: 100-277VAC, 100-347VAC (special order)
- CRI: 80+ standard; 90+ (special order)
- Dimming: 0-10VDC
- Operating Temperature: -13ºF - +140ºF
- Rated: IP20 for damp location
- Warranty: 5 years

1668231

NEW!! ZLED Lighting MRK-2220-CSK-PLUS-RP 2X2 2LT 2x2LED Retrofit Kit, wSelect Driver and Color Select [1668231]

NEW PRODUCTS!

1668229

NEW!! ZLED Lighting MRK2440-CSK-PLUS-RP 2X4 2LT 42W LED with Select Driver w/ Color Select [1668229]



Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

SYLVANIA

- Diffuse acrylic lens delivers smooth, even illumination
- CCT selectable (3500K, 4000K or 5000K color temperature)
- Lumen selectable (22, 28, 34 or 44 watt) or dedicated 22W and 68W versions available for rebate and high wattage opportunities
- Innovative lens design eliminates LED pixilation and light-leaks on all sides of the fixture while still enabling simple, toolless removal of the lens during installation
- Internally mounted motion/daylight sensor and battery back up options increase the versatility of this product line
- DLC Premium listing maximizes rebate opportunities
- Up to 130 LPW
- CRI >80
- Energy savings up to 43%
- Optional 8W battery back-up on 4' products provides
- 1000 lumens for 90 minutes

1691476

NEW!! Sylvania WRAP2A/S044UNVD8SC7/48U/WH (62178) 44W LED Surface Wrap Fixture Color Select 3500/4000/500K [1691476]

1675320

NEW!! Sylvania LED42T8FA8L96FGP840BF (41196) 8FT T8 LED Ballast Bypass Lamp Single Pin 4000K [1675320]

1703211

NEW!! Sylvania LED42T8R17DL96FGP840BF (41200) 8FT T8 LED Ballast Bypass Lamp High Output End 4000K [1703211]

1703212

NEW!! Sylvania LED42T8R17DL96FGP850BF (41201) 8FT T8 LED Ballast Bypass Lamp High Output End 5000K [1703212]

1208784

NEW!! Sylvania LED43WT8/96/840-DBL-G7D 4000K 8FT, T8 LED Ballast Bypass Lamp Single Pin 4000k [1208784]



LEDlescent T8HO Ballast-Free lamps are an energy saving alternative, designed to replace traditional fluorescent T8/T12 lamps by bypassing the existing ballast. These LED T8 lamps contain no mercury, provide instant light and a uniform light distribution. Engineered to operate directly on 120-277V, these lamps minimize labor and recycling costs. These lamps can be used with occupancy and vacancy sensors for enhanced energy savings. When installing the LEDlescent T8 lamps, the UL rating of the existing fixture is not voided (even when it is electrically modified) since our LEDlescent T8 lamp is UL Classified (as a luminaire conversion retrofit kit) under UL standard 1598C. UL1598C is the standard covering LED retrofits intended for an existing UL rated fixture. Since the user is retrofitting with a UL1598C classified LED kit, the installer must follow the installation instructions included with the lamps for the modified fixture to retain its UL rating.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

SYLVANIA

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

ULTRA LED™ Motion Sensor A19

1256757

NEW!! Sylvania LED9A19/MOT/827/RP/79712
9W, LED, A19 Lamp W/Motion Activation 2700k
[1256757]

Features & Benefits

- Quick and easy installation in standard E26 socket
- Built-in dusk to dawn sensor which turns on only when ambient light is not present
- Wide detection angle of 360°
- Can be mounted base up, base down, or horizontally
- Turns off after 40 seconds when motion is not detected
- Ideal for porch, corridor, balcony and stairs in both residential and commercial applications
- Long life up to 25,000 hrs (L_{70})
- Omnidirectional
- 10' to 15' detection range

NEW PRODUCTS!



1740256

NEW!! Sylvania LED9A19DTD827RP/41288 LED9A19DT
9W, LED A19 Lamp W/Dusk to Dawn Sensor 2700k
[1740256]

1740257

NEW!! Sylvania LED13A21DTD827RP/41290 LED13A21
13W, LED A19 Lamp W/Dusk to Dawn Sensor 2700k
[1740257]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

A better sensor

Maestro sensor switch

Simple installation. No callbacks.

LUTRON®

Easy button-press setup saves time



SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

1670669

NEW!! Light Efficient Design LED-8024E345-G7-FW 35/45/60W Flex Watt/Flex Color LED Corn Cob Lamp Med Base [1670669]

1670670

NEW!! Light Efficient Design LED-8024E345-G7-FW 35/45/60W Flex Watt/Flex Color LED Corn Cob Lamp Mogul Base [1670670]

1667943

NEW!! Light Efficient Design LED-8027M345-G7-FW 80/100/110W Watt/Flex Color LED Corn Cob Lamp Mogul Base [1667943]

Light Efficient Design

1483510

NEW!! Light Efficient Design RP-LBI-G1-2F-6W-40K-WC 2FT LED Light Bar 3500/4000/5000K [1483510]

1494605

NEW!! Light Efficient Design RP-LBI-G1-3F-10W-40K-WC 3FT LED Light Bar 3500/4000/5000K [1494605]

1629723

NEW!! Light Efficient Design RP-LBI-G1-4F-10W-40K-WC 4FT LED Light Bar 3500/4000/5000K [1629723]

NEW PRODUCTS!

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

ENGINEERED PRODUCTS CO.

$50.00 ea.

923682

Engineered Products 15910 LED Utility Light Fixture [923682]

APPLICATIONS

- Commercial and Industrial Facilities
- Agricultural Buildings
- Animal Confinement Areas
- Walk-in Refrigerators/Freezers
- Tunnels, Corridors, and Walkways
- Athletic Areas
- Storage Buildings

FEATURES

- The ProSeries LED Utility Light is an energy efficient “wet location”, sustainable and cost effective alternative lighting solution for environments where ingress protection from dust and moisture is highly desirable.
- Ceiling (wet location) or wall mount (damp location) LED Light Fixture.
- Suitable for indoor or outdoor wet locations where wash down is required.
- 75-Watts of incandescent lumen output that consumes only 14-watts of electricity.
- Affordable LED lighting that provides dramatically better visibility.
- Reliable, durable, maintenance free performance
- Optimal illumination, significant energy savings and virtually no luminaire maintenance.

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

RAB

FIELD ADJUSTABLE



NEW PRODUCTS!

Full cutoff, field adjustable and priced right.

SLIM17 ultra-economy wall packs.

1728635

NEW!! RAB Lighting WP2XFU60 Wallpk WP2 ADJ 60W-45W Color Select Led Wall Pack Up To 8,853 Lumens [1728635]

1728632

NEW!! RAB Lighting SLIM17FA30ADJ SLIM Wall Pack, 30W 3000K/4000K/5000K Selectable CCT, Adjustable Cutoff, 0-10V Dimming, Bronze [1728632]

On when you need them, off when you don't.

All models come standard with an integrated, selectable, on/off photocell that can automatically control when the wall packs turn on for even greater energy savings.

NEW PRODUCTS!

RAB®

1724875

NEW!! RAB WP1XFU29 WALLPK WP1 ADJ 29W-20W Color Select Led Wall Pack Up to 4,200 Lumens [1724875]

1723150

NEW!! RAB WP2XFU60 WALLPK WP2 ADJ 60W-45W Color Select Led Wall Pack Up to 8,853 Lumens [1723150]

1723326

NEW!! RAB WP3XFU120 WALLPK WP3 ADJ 120W-1 Color Select Led Wall Pack Up to 18,718 Lumens [1723326]

1704817

NEW!! RAB A17XFU150 Area A17 3WAY CCT 70W-100W-150W LED BZ [1704817]

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

RAB®

1711596

NEW!! RAB X17FA15 X17 FA 15W LED 3K/4K/5K KNUCK BZ Flood Light Up to 2,194 Lumens, Knuckle Mount [1711596]

1728716

NEW!! RAB X17XFU35 FLD X17 FA 35/25/15W 3 Flood Light Up to 5,000 Lumens [1728716]

1728575

NEW!! RAB X17XFU80 X17 FA80/60/40W 3K-4K- Flood Light Up to 2,194 Lumens Slipfitter Mount [1728575]

1702707

NEW!! RAB X17FA105SF X17 FA 105W LED 3K/4K/5K PC SF BZ [1702707]

1728578

NEW!! RAB X17FA105T FLOOD FA 105W LED 120-277V 3K-4K-5K & PC TRUNNION BZ Flood Light Up to 13,616 Lumens, Trunnion Mount [1728578]

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

GMLighting

1720294

NEW!! GM Lighting SHWO Smart 2.4 WIFI Outlet 120V White [1720294]

- Input Voltage: 100-130VAC, 60Hz
- USB Load: 120VAC / Single UBS output 5V/2.1A
- Outlet load : Single outlet load 10A, total load 15A
- Relay supply voltage: 5VDC
- Module supply voltage: 3.3VDC
- Standby power: <0.5
- Working Temperature: -4°F to 120°F
- No hub required
- UL60950, UL498, FCC Part15
- Android™ compatible
- iOS® compatible
- Works with Google Assistant™
- Works with Amazon Alexa™

1720289

NEW!! GM Lighting SHWD 2.4 WIFI Smart Home 120V Wall Switch Dimmer [1720289]

Intertek

1720295

NEW!! GM Lighting SHWP Smart 2.4 WIFI Plug 120V White [1720295]

Smart WiFi electrical plug by GM Lighting provides energy saving performance and wireless control with GM's LUXcontrol™ App. Create customized schedules, set timers and turn your devices ON/OFF from the comfort of your mobile phone or tablet.

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

PROGRESS LIGHTING™

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

1547326

NEW!! Progress Lighting P560174-031 Grandbury Collection Wall Lantern [1547326]

1550130

NEW!! Progress Lighting P560021-031 Gibbes Street Collection Wall Lantern [1550130]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

INTERMATIC®

Ascend smart 7-day programmable Wi-Fi timer, 120 VAC, 15A, White. Next generation timers with sleek, modern design and intuitive programming. Works with Amazon Alexa and Google Assistant; no hub required. Neutral required. Easily schedule lights and connected loads to turn on/off at specific times or based on sunrise/sunset.

1288366

Intermatic ST700W Heavy-Duty 7-Day Programmable Timer
[1288366]

1300402

Intermatic STW700W Heavy-Duty 7-Day Programmable Wi-Fi Timer
[1300402]

INSTALL IT DONE

10 YEAR

10-Year Battery

10-Year Sensor

10-Year Warranty

1019321 Mfg# 9120LBL
Hardwired Smoke Alarm with 10-Year Battery Backup

Conforms to UL STD 217

1019322 Mfg# SC9120LBL
Hardwire Smoke & CO Alarm with 10-Year Battery Backup

Conforms to UL2034

BRK®

THE PROFESSIONAL STANDARD

TRUSTED, RELIABLE PROTECTION SINCE 1958

See your Capital Electric Sales Representative for more information.

© 2022 BRK Brands, Inc. All rights reserved. Distributed by BRK Brands, Inc., Aurora, Illinois 60504. BRK Brands, Inc. is a subsidiary of Newell Brands Inc. (NASDAQ: NWL).

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

As temperatures drop, ensure carbon monoxide threats don't rise.

Safeguarding homes from a threat that you can't see, smell or taste may sound like a tall order. But if you know the risks and choose the right products, it's actually pretty easy. That's where Kidde comes in. They have everything needed to protect against the silent killer.

Kidde

1559440

KIDDE C3010D-CO CO Alarm with Digital Display 10yr Sealed Lithium Battery [1559440]

C3010D Sealed Lithium Battery Carbon Monoxide Alarm with Disital Display

SIMPLIFIYING SAFETY

Kidde's Worry-Free alarms are designed to make choosing the right alarm for the right location simple.

Worry-Free Kitchen Combo Smoke & CO Alarm **provides smoke and carbon monoxide detection.** P3010K-CO

Worry-Free Hallway Smoke Alarm has **super bright LEDs for providing a lighted escape path.** P3010H

Worry-Free Bedroom Smoke Alarm features a **talking voice alarm to improve wakening.** P3010B

Worry-Free Living Area Smoke Alarm features a **hush button for temporarily silencing the alarm.** P3010L

Kidde

865827

Kidde Home Safety P3010L 21009663 85 dB Sealed Lithium Photoelectric Battery Powered Smoke Alarm [865827]

865828

Kidde 21009661 (P3010B) Bedroom Smoke Alarm, Sealed Lithium Battery Powered, Voice Alarm (Old# 21010067) [865828]

865829

Kidde Home Safety 21010069 85 dB 120 Volt Sealed Lithium Photoelectric Battery Powered Smoke Alarm [865829]

865831

Kidde Home Safety 21010071 85 dB Sealed Lithium Battery Powered Carbon Monoxide/Smoke Alarm [865831]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Ensures compliance with OSHA • Rated for 250 lb load

The smaller HC1742 cover fits a 1-3/4" to 4-1/4" hole. HC1762 fits a 1-3/4" to 6-1/4" opening.

For small holes, *under* 2-1/2" diameter, position the longer leg of the retaining clip toward the outside edge of the cover.

HC1742 set for 1-3/4" hole



HC1762 set for 6" hole

For holes *larger* than 2-1/2", position the longer part of the clip towards the center of the cover

HC series Covers
Easy to install

Measure the hole to be covered.

Using the size reference scale, attach the retaining clips to the underside of the cover with the supplied screws. See notes above for clip positioning.



Push the assembled hole cover into the hole and adjust the fit.

* If too loose, move one of the clips slightly outward.

When necessary, remove the cover with a flat blade screwdriver.

Note: Do not use HC1742 and HC1762 covers in areas with high vehicle traffic.

CATALOG NUMBER	UPC/DCI/NAED MFG #01 8997	DESCRIPTION Hole Cover Kits	UNIT PKG	STD PKG
HC1742	42913	fits 1-3/4" to 4-1/4" hole	1	20
HC1762	42914	fits 1-3/4" to 6-1/4" hole	1	10
Kit includes (1) Hole Cover, (3) retaining clips, (3) #10 x 1/2" screws				

Patent pending

Non-Metallic Hole Cover Kits

Arlington's non-metallic hole cover kits offer the *fastest way* to cover a hole – and ensure compliance with OSHA safety standards on a multi-story building site.

Available in two sizes, covers come with retaining clips that allow for adjustment to fit a range of hole sizes. The reference scale on the underside of the cover allows for precise sizing to the hole diameter.



- Complies with OSHA Standard 1910.28 (b) (3) (i) (A)
- Rated for 250 lb load, tested at four times the rated load

1676043

Arlington HC1742 Non-Metallic Hole Cover Kit, 1-3/4" to 4-1/4" Hole, Yellow [1676043]

1676044

Arlington HC1762 Non-Metallic Hole Cover Kit, 1-3/4" to 6-1/4" Hole, Yellow [1676044]

TM

Arlington®

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717 • Fax 570/562.0646
www.aifittings.com

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

BRADY®

WHEN PERFORMANCE MATTERS MOST™



263474

Brady 66321 Universal Multi-Pole Breaker Lockout, 1.05” H x 1.25” W x 2.25” D, Red [263474]

Universal Multi-Pole Breaker Lockouts are made of durable impact-modified nylon and are compatible with most two or three pole breakers with a tie-bar.

324939

Brady 99296 Breaker Lockout Sampler Pouch Kit with 2 Safety Padlocks and 2 Tags [324939]

Need to lockout a variety of circuit breaker types in your facility? The Circuit Breaker Lockout Sampler Kit is the perfect fit!

910720

Brady BMP21-PLUS BMP21-PLUS Portable Label Printer, 9.5” H x 4.5” W x 2.5” D [910720]

TOUGH on the outside, SMART on the inside. The super rugged, ultra intelligent BMP.21-PLUS is an affordable label and wire printer designed for the tool box.

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

1458093

Broan NuTone AE50110DCL FLEX DC Series Bathroom Exhaust Fan With LED light and Selectable CFM, 50-80-110 [1458093]

1452047

Broan NuTone AE50110DC FLEX DC Series Bathroom Exhaust Fan With Selectable CFM, 50-80-110 [1452047]

Ensure comfort in your bathroom with the Broan Flex DC™ Series Bathroom Exhaust Ventilation Van! This Energy Star certified multi-speed fan gives professionals the flexibility to handle new construction or room-side retrofit installations. This ceiling mounted bathroom exhaust ventilation fan has selectable CFM settings at 50, 80, or 110 running at a quiet operation of <0.3-0.4-0.9 sones and is recommended for bathrooms up to 105 sq. ft . The powerful ventilation reduces humidity to quickly eliminate fogged mirrors and manage moisture. The plug-in, permanently lubricated brushless DC motor is engineered for continuous operation. The compact housing is designed to mount directly to inboard joists, making retrofit or new installation applications easy and simple. Snap-fit Flange Kit will cover the edges of the cutout for a more professional finish and a tighter, leak-free seal. With our TrueSeal™ damper technology, Flex DC fans reduce air leakage by up to 50% compared to competitive models, resulting in better home performance via blower door tests and reducing cold and warm air back drafts. Retrofit installation is easy and can be done entirely room-side - no need to crawl up into your attic! It can be used over the bathtub or shower with the GFCI circuit. It can also be installed in a wall if mounted 8-ft. or more above the floor. Upgrade your bathroom with the Broan Flex DC™ Series Bathroom Exhaust Ventilation Van!

BROAN NuTone

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Sales Note
Arc flash relays

BUSSMANN SERIES

Eaton's Bussmann™ series arc flash relay (EAFR) provides unmatched switchgear protection. This relay reduces arc flash energy by quickly clearing the current feeding the arc. The sensitive light inputs with current permissive detection identify multiple arc fault conditions.

The EAFR works to detect and clear faults faster than traditional methods in medium and low voltage switchgear, and the arc flash relay modules and sensors allow for simple integration into electrical assemblies.

Flexible module options allow installers to choose between fiber optic loop cable and wired point sensors

The system can measure both light and current to eliminate nuisance operation, and offers an innovative modular design that allows for simple integration into electrical assemblies, ideal for both new and retrofit installations. The system also helps address arc flash safety concerns outlined in National Fire Protection Agency (NFPA) standard 70E, which covers employee workplace electrical safety requirements.

Bussmann series arc flash relays are now sellable through the Bussmann division.

Applications/installations

- Low voltage switchgear/switchboards
- Medium voltage switchgear
- Low/medium voltage motor control centers

Markets

- Oil and gas
- Industrial
- Commercial or institutional infrastructure
- Electric utilities

Typical customers

OEMs for:

- Low voltage and medium voltage assemblies

Target regions and countries

- United States

Key features and benefits

Feature	Benefit
An innovative module system allows for simple integration into electrical assemblies.	Ease of installation
Sensitive light inputs with current permissive detects low power phase to ground arc faults.	Arc flash reduction
The relay's configurable setup provides optional system selectivity, opening the circuit breaker closest to the arc flash.	Minimizes downtime
Flexible module options allow installers to choose between fiber optic loop cable or wired point sensors.	Ease of installation
If the point sensor option is selected, the relay can be wired and tested, reducing time and labor costs.	Modular design for easier assembly integration

Customer reaction

Reaction	Reply
I am looking for arc fault reduction in an existing installation. Is this system solely for new assembly builds?	The EAFR system is a combination of arc flash relay modules and sensors designed to detect arc flash events. With it's modular design, our system makes an excellent candidate for both new and retrofit installations.
I want to avoid nuisance tripping.	The EAFR system can measure both light and current to eliminate nuisance operation.
Cybersecurity is a main concern.	Because of the simplicity of the system, all monitoring is done through contact outputs on the modules. The advantage of this approach is that cybersecurity issues are nonexistent.

EATON
Powering Business Worldwide

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW TEST & MEASUREMENT PRODUCTS

TightSight® Clamp Meters

61-775
1000A AC/DC Clamp Meter
TightSight™ w/Backlight

61-765
660A AC/DC Clamp Meter
TightSight™ w/Backlight

61-757
600A AC/DC Clamp Meter
TightSight™ w/Backlight & Flashlight

61-747
400A AC/DC Clamp Meter
TightSight™ w/Backlight & Flashlight

61-415
200A AC/DC Split-Jaw™ Clam Meter
TightSight™ w/Backlight & Flashlight

Conventional Clamp Meters

61-737
400A AC Clamp Meter
4000 Count & Flashlight

61-405
200A AC Clamp Split-Jaw™ Meter
w/Backlight & Flashlight

THE ELECTRICIAN'S CHAMPION™ IDEAL®

idealind.com

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Cully™ By MinerallacCompany

FASTENER SOLUTIONS FOR CONCRETE

CONCRETE SCREWS | STEEL DROP-IN ANCHORS | WEDGE ANCHORS FOR CONCRETE & STONE | LEAD MACHINE SCREW ANCHORS | SLEEVE ANCHORS

FOR OVER 125 YEARS MINERALLAC HAS PROVIDED HIGH QUALITY PRODUCTS TO THE ELECTRICAL INDUSTRY

Capital Electric supplies a wide variety of fastener solutions for concrete to help you get the job done.

Enquire at your local Capital branch
www.capitalelectricsupply.com
804.588.4867

Minerallac® Company

® 2021 Minerallac Company. All Rights Reserved.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

FIRE ALARM BOXES

The National Electrical Code® defines a fire alarm circuit as "the portion of the wiring system between the load side of the overcurrent device or the power-limited supply and the connected equipment of all circuits powered and controlled by the fire alarm system." Additionally, the NEC requires that all fire alarm circuits be identified at terminal and junction locations in a manner that will prevent unintentional interference with the signaling circuit during testing and servicing.

Cooper Crouse-Hinds® steel Fire Alarm Boxes help meet those installation requirements and are available in the most popular 4" and 4 11/16" square boxes along with covers and box extensions. A 4" octagon box is also available. The red paint allows inspectors to quickly identify fire alarm circuit outlet boxes. The boxes are UL Listed with a two-hour fire rating and are available in a variety of configurations to meet varied applications.

FEATURES AND BENEFITS

- Red epoxy paint allows for quick identification of fire alarm systems meeting NEC® requirements
- Eliminates the need to paint boxes on the job site, saving time and expense
- UL Listed for use in two-hour, fire-rated walls
- Available in 4" and 4 11/16" square and 4" octagon, 1 1/2" and 2 1/8" deep welded or drawn construction to meet various applications and/or preferences

MATERIALS

- Outlet Boxes: Pre-Galvanized Steel

FINISH

- Red epoxy paint

CERTIFICATIONS AND COMPLIANCES

- UL Listed

COOPER Crouse-Hinds

National Electric Code® and NEC® are registered trademarks of the National Fire Protection Assoc. Inc.

CROUSE-HINDS COMMERCIAL PRODUCTS

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Fluke 377 FC, 378 FC Non-Contact Voltage True-rms AC/DC Clamp Meters with iFlex

1676466

Fluke-377-FC 1000A ACDC TRMS NC [1676466]

1676468

Fluke-378-FC 1000A ACDC TRMS NC [1676468]

Voltage and current measurements with FieldSense™ technology

The Fluke 377 FC and 378 FC true-rms clamp meters use Field-Sense™ technology to make testing faster and safer, all without touching a live conductor. You get accurate voltage and current measurements through the clamp jaw. Simply clip the black test lead to any electrical ground, put the clamp jaw around the con-ductor and see reliable, accurate voltage and current values on the display.

Power quality indicator shows whether a problem is in the equipment or the power line (378 FC only)

The 378 FC clamp meter includes a unique PQ function that senses power quality issues automatically. When making FieldSense measurements, the 378 FC will detect and display power quality issues, relating to current, voltage, power factor or any combination of the three. Now you can quickly determine if an upstream supply problem exists, or if there is a downstream equipment problem.

FLUKE CONNECT

Fluke 393 FC CAT III 1500 V True-rms Clamp Meter with iFlex

1721555

Fluke-393-FC CATIII 1500V TRMS [1721555]

The world's only CAT III 1500 V current clamp

The 393 FC CAT III 1500 V True-rms Clamp Meter with iFlex is designed for technicians who work in dc environments up to 1500 V: solar arrays, wind power, electric railways, data centers battery banks for uninterruptible power supplies. The clamp will measure up to 1500 V dc, 1000 V ac, and up to 999.9 A dc or ac through the clamp jaw. The included iFlex flexible current probe extended ac current measurements up to 2500 amps.

This clamp has a thin jaw, giving you access to cables in crowded combiner boxes. Test leads are designed with your work in mind, and are also rated to CAT III 1500 V.

Other key functions:

- IP54 rated, ideal for work outdoors on solar arrays and wind power systems
- DC power measurement, showing readings in kVA
- Audio Polarity indicator helps prevent accidental miswires
- Visual Continuity turns provide a bright green light in the display, ideal when working in dark and noisy environments
- Logging and reporting of test results via Fluke Connect software

When measuring ac current the included iFlex flexible current probe gives you unparalleled access to cable is tight spaces. The iFlex probe can be twisted through extremely small spaces and provide accurate current measurements.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

POWER THE FUTURE OF FLEXIBLE WORK

WIREMOLD® SIT/STAND DESK POWER

The demand for height-adjustable desks is ever-increasing, as more employees crave a flexible solution where they can take a break from sitting. Add easy power and charging to these desks and tables with a flexible power solution. Comprised of two units, one above and one below the desk, power is no longer a struggle. Connected via a 2' interconnected cord, this system simplifies cable management and makes it easier to get work done. Available in black or white.

FEATURES & BENEFITS

Two units. One system.
- Includes one plug-in outlet center, one Desktop Power Center Slim and one 6' coiled cord to power everything at the desk.

Works with a range of desk heights.
- Compatible with all standard sit/stand desk height ranges.

Mounting options.
- Simple and flexible installation with options for horizontal and vertical applications.

Comes with cable management.
- Includes four cable ties for convenient cord mounting.

Multiple power and charging configurations.
- Two versions available with reliable power and charging: 1) three tamper-resistant power outlets and two USB charging ports, and 2) two tamper-resistant power outlets and two USB charging ports. 3.1A USB charging ports and 15A power outlets on both models.

cETLus Listed to UL 962A Spill Water.
- Compliant and can be used in a horizontal surface such as a tabletop.

Complies with FCC Part 15, Subpart B.
- Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

©2021 Legrand. All Rights Reserved. ss3465 10/21

legrand®

designed to be better.

See your Capital Electric Sales Representative for more information.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Protector® Series

PROTECTOR® SERIES
Standby Generators
Liquid-Cooled Gaseous Engine

INCLUDES:

- Two-Line LCD Multilingual Digital Evolution™ Controller (English/Spanish/French/Portuguese) with external viewing window for easy indication of generator status and breaker position.
- Capability to be installed with 18" (457mm) of a building*
- True Power™ Electrical Technology
- Isochronous Electronic Governor
- Sound Attenuated Enclosure
- Closed Coolant Recovery System
- Smart Battery Charger
- UV/Ozone Resistant Hoses
- ±1% Voltage Regulation
- Natural Gas or LP Operation
- 5 Year Limited Warranty
- UL 2200 Listed

Note: 25-45 kW units are field convertible between natural gas or liquid propane. 60 kW units are built per fuel requirement and are not convertible.

*Only if located away from doors, windows, and fresh air intakes, and unless otherwise directed by local codes. Applicable for 25kW and 30kW units only.

Standby Power Rating

Model RG025 (Aluminum - Bisque) - 25 kW 60 Hz
Model RG030 (Aluminum - Bisque) - 30 kW 60 Hz
Model RG036 (Aluminum - Bisque) - 36 kW 60 Hz
Model RG045 (Aluminum - Bisque) - 45 kW 60 Hz
Model RG060 (Aluminum - Bisque) - 60 kW 60 Hz

*Assembled in the USA using domestic and foreign parts

QUIET TEST

Meets EPA Emission Regulations
25, 30 & 45 kW CA/MA emissions compliant
36 & 60 kW not for sale in CA / MA

1071153

Generac RG02515ANAX RG Series Generator 25KW 120/240V 1Phase NG [1071153]

1036446

Generac RG03015ANAX RG Series Generator 30KW 120/240V 1Phase NG [1036446]

1035548

Generac RG03624ANAX RG Series Generator 36KW 120/240V 1Phase NG [1035548]

1411600

Generac RG04524ANAX RG Series Generator 45KW 120/240V 1Phase NG [1411600]

1019916

Generac RG06024ANAX RG Series Generator 60KW 120/240V 1Phase NG [1019916]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

GREENLEE®

NEW PRODUCTS!

1637622

Greenlee GSBSET3 - 3-PIECE SET Includes 1/2", 7/8" & 1-1/8" Step Bits and Carrying Case [1637622]

- Fastest, Smoothest Cut with the New Progressive Split-Step Design
- Durable Split-Point Tip Fast, accurate material penetration
- Patented Split-Step Design Optimizes chip load for fast, smooth cutting, and more holes per charge
- Progressive Cutting Edges Provide balanced aggression to maximize torque efficiency and minimize stalling
- Improved Double Flute Design Provides Superior chip evacuation, cutting speeds and tool life

1579030

NEW!! Greenlee ESG105LXR11 - 105 mm Gator Guillotine Remote Cable Cutter, 120V Charger [1579030]

- Includes 105 mm remote cable cutter, remote control, rigging harness, metal case, 120V charger, two 4.0Ah batteries
- Remote control cable cutter with end position blade recognition
- Can be used in either hand held or remote configuration
- Flip-top jaw and guillotine style cutting head secures conductor
- Cutting capacity of up to 4.13", Cutting head rotates 350°
- Select between Hand-Held Manual and Remote usage options
- LED level indicator on battery and built-in tool self-test confirms the ability to complete cut

1617628

Greenlee FTXF-50 – 50' Fiberglass [1617628]

1579164

Greenlee FTXF-100 – 100' Fiberglass [1579164]

UNIQUE CASE DESIGN

- Fatigue-reducing case designed to encourage holding the case closer to your body, so you use less energy while fishing
- Case designed to fit all users and fishing environments

USE YOUR CASE, YOUR WAY

- Versatile, no-handle case design provides countless positions so you can hold the case how it's most comfortable for you
- Fish faster when you hold the case between your legs or set it on the ground to free up both hands

FREE-SPINNING REEL

- Interior reel spins freely to reduce tape friction, speeding up your pull
- Eliminates binding and overcomes kinks

QUICK-CHANGE CARTRIDGES

- Swap-out reel cartridges to quickly replace tape
- Case opens easily to access reel and remove any dirt & debris

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

GREENLEE®

NEW PRODUCTS!

1578685

Greenlee GRN G10-MVB PULLER (G10) W/MVB Tugger 10;000 lb. Puller w/ Mobile VersiBoom G10-MVB
[1578685]

1500842

NEW!! Greenlee G1 - Versi-Tugger™ - Handheld 1,000 LB Puller [1500842]

- Handheld, Cordless Puller
- Constant pull force up to 600 lbs
- Unload Poly Line In Seconds After A Pull - Line slides off tapered capstan when spool wall is removed, no need to reverse the drill
- Pull 68% faster than manual pulling
- Works most 18v-20v cordless drills
- Adjustable boom - The 17" rotatable boom quickly adjusts to fit each job with 3 length positions to choose from. Extend the boom with 1" rigid conduit
- Universal Pulling Head - One-size-fits-all pulling head attaches quickly to any size conduit from 1/2" - 4"

1519850

Greenlee GLSS980KIT-B - Shear 30T Shearing Station (with 980 Electric Hydraulic Pump)
[1519850]

398373

Greenlee CS-8000 Circuit Seeker [398373]

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NIMBUS4FLEX: Your Flex Wire Solution

The industry's broadest selection of pre-insulated connectors across multiple conductor classes

The offering includes in-line, multi-tap, single-, double-, or multi-side entry, mountable and high density 2X for code and flex conductors. A multitude of configurations afford the installer the ability to select the right connector for the job. Mix any conductor class and material via staggered ports with NIMBUS4FLEX. Our patented screw design with integrated locking washer improves vibration resistance, compresses the conductor without damage and eliminates the need for a ferrule.

NIMBUS is a Premium Choice for Professionals.

ILSCO® 125 YEARS SINCE 1894
connections matter

See your Capital Electric Sales Representative for more information.

See your Capital Electric Sales Representative for more information.

CORDLESS CANNON 6K™

PULL UP TO 52′ PER MINUTE IN REMOTE LOCATIONS

*Sold as Shown

Handles Overhead, Underground, or Side Pulls with Ease.

Built-in Rope Engagement Capstan Switch

Fully Self Contained Unit

Speed, versatility, and performance are all yours with iTOOLco's Cordless Cannon 6K™. This portable 6,000 lb. puller is intuitively designed to handle all of your day-to-day wire pulls.

The built-in capstan switch automatically turns the puller on and off. Simply tug on the rope to start the pull and slack off the rope to shut it down. Delivers dynamic performance in remote locations or areas where power is not yet available.

1743702

iTOOL CD6K Cannon 6K™ Wire Puller [1743702]

FASTER SAFER WORKSPACE

REAL PALLET JACK™

PAY OFF AND TRANSPORT WIRE WITH EASE

iTOOLco.

NEW PRODUCTS!

1746799

NEW!! iTOOL RPJTF01 Transport Frame [1746799]

Dual Sided Loading Gates
For Drum Side Loading

Deliver and place reels to your final installation point safely and effortlessly. iTOOLco's Real Pallet Jack are a portable, heavy-duty solution for transporting spools up to 10,000 lb.

Made with all welded steel construction, loading and unloading the Real Pallet Jack is easy. Loading from the drum side minimizes the potential of wire damage from forks. The dual sided gates enable you to load spools from either side of the jack.

Whatever their size, spools automatically center the arbor hole with the spindle– ensuring the spool is perfectly positioned for a quick, smooth payout every time. Maneuverability on the jobsite is a snap using a forklift.

Added Bonus: Real Pallet Jacks collapse and stack for easy compact storage.

Forklift or Pallet Jack Compatible

1743703

iTOOL RPJ10K Real Pallet Jack [1743703]



Collapsable & Stackable

1746800

NEW!! iTOOL BRUTE Caster Pack, 4 Wheels [1746800]

FASTER SAFER WORKSPACE

ALL CUSTOM LADDERS ARE IMPRINTED IN-HOUSE AT CAPITAL ELECTRIC'S WAREHOUSE IN BALTIMORE, MD

Louisville Logo Lock for Fiberglass Ladders SPECIFICATIONS

- Each ladder will have one custom logo applied to one side rail
- Dimension of logo should be a maximum of 7 1/16" x 2 3/8"
- Artwork must be provided in **vector** format OR in "**.jpg**" or "**.tif**" format at a minimum of 300 dpi (dots per inch) resolution
- Allow 48 hour lead time upon logo approval

One-time set up fee of $25 per logo • Only $8 fee per ladder (+ price of ladder)
6 ladder minimum • 3 business days delivery, once order received and artwork approved

To place your LogoLock order, reach out to your local sales representative or contact Patrick Lockwood, Director of Tools, Fasteners, & Safety at 410-248-3466 or patrick.lockwood@capitalelectricsupply.com.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

LOUISVILLE LADDER

SMARTBUYS
January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Louisville Ladder, Fiberglass Cross Pinnacle Platform and Leaning Step Ladder

This innovation is the first of its kind. Combining the sturdiness of a platform ladder with the ability to be leaned, this Platform to Leaning 2-in-1 Cross Pinnacle Ladder is a job site must-have. Its HiVis green top and shoes make it easily identifiable to prevent fines and improve workplace safety. This 4-Foot Leaning Platform Ladder is made of superior quality and is non-conductive. The V-shape Pro Top allows the ladder to lean against walls, buildings and poles, and onto and into corners, giving it plenty of ways to improve performance when working electrical, construction, and residential jobs.

FEATURES

- Converts From A Platform Ladder Into A Leaning Ladder For A 2 In 1 Combination
- ProTop Holds Multiple Tool Slots And Magnet
- Innovative Lock Latch To Secure Rear Section
- Angles Allows You To Get Closer To The Work Area
- Shox Impact Absorption System
- Raptor Boot With Slip-resistant Non-Marring Bonded Tread
- Spacious Platform with Slip-Resistant Overflow Slots Keep Users Secure and Comfortable While Working
- V Shape ProTop Allows The Ladder To Lean Against Walls Buildings And Poles

1583023

Louisville Ladder FCP1406HD 6ft Fiberglass Cross Pinnacle Platform / Leaning Step Ladder, Type IAA, 375lb Load Capacity [1583023]

1583024

Louisville Ladder FCP1408HD 8ft Fiberglass Cross Pinnacle Platform / Leaning Step Ladder, Type IAA, 375lb Load Capacity [1583024]

SMARTBUYS
January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Capital Electric
A Sonepar Company

Follow Us

Facebook
@CapitalElecSply

LinkedIn
Capital Electric

Twitter
@CapitalElecSply

Instagram
@capitalelecsply

We Are Social

NEW PRODUCTS!

985263

Ridgid 41855 115 Volt 1/2 Hp 1/8 to 2 Inch Capacity Power Drive [985263]

1746931

NEW!! Ridgid 64033 Die Shear for StrutSlayr head, 13/16" [1746931]

Item not in stock - special order only.

1746932

NEW!! Ridgid 64033 Die Shear for StrutSlayr head, 1 5/8" [1746932]

Item not in stock - special order only.

RIDGID

1746904

NEW!! Ridgid 32940 #30 Screw Feed Tubing Cutter, 1-inch to 3-1/8-inch Conduit Cutter [1746904]

Item not in stock - special order only.

1453295

Ridgid 44473 SR-24 Line Locator with Bluetooth® and GPS [1453295]

726369

Ridgid 19238 NaviTrack Scout® Locator [726369]

SMART**BUYS**

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Kraloy® Fittings has been a leader in PVC conduit fittings for over 50 years. As the first UL approved manufacturer of PVC fittings, we are steadfast in our commitment to quality and the development of new products.

The Industry Leader in PVC Conduit Fittings

KRALOY® RIGID PVC FITTINGS

- Range of PVC non-metallic conduit fittings and accessories
- High tensile & impact strength
- FT-4 rated
- Many fittings available up to 8"

KWIKON® ENT & FITTINGS

- Complete concrete-tight system
- FT-4 rated
- Six locking tabs for unbreakable connections
- Lightweight & flexible reducing labor up to 50%

EPR CONDUIT REPAIR KIT

- Restores structural integrity of conduit system
- Cost savings with fast and easy installation
- Repair made while leaving cables inside
- Creates water-tight seal

KRALOY® JBOX™ WITH HINGED COVER

- Available in 8" to 16" sizes
- Removable cover opens more than 200°
- Back panels available for all sizes
- Hand-close fastener tabs
- NEMA Rated 1, 2, 3R, 4, 4X, 12, 13

KRALOY® JBOX™

- Available in 4" to 16" sizes
- Hand-close fastener tabs
- Back panels available for sizes 6" to 16"
- Sizes 4" to 12"
  NEMA 1, 2, 3R, 4, 4X, 6P, 12. 13
- Sizes 14" to 16"
  NEMA 1, 2, 3R, 4, 4X, 12, 13

KRALOY®
The Fitting Choice

See your Capital Electric Sales Representative for more information.

THE LEADERS IN CUSTOM HEAT SOLUTIONS

- Baseboard Heaters
- Wall Heaters
- Made-to-Order Heaters
- Ceiling Heaters
- Unit Heaters
- Washdown/Explosion Proof Heaters
- Convector Heaters
- Radiant Heaters
- Portable Heaters
- Thermostats & Controls
- Heat Recovery Ceiling Fans
- Air Curtains

... And More

QMARK®
A Marley Engineered Products Brand

See your Capital Electric Sales Representative for more information.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

NEW PRODUCTS!

SMARTBUYS

January 1 - February 28, 2022

Capital Electric
A Sonepar Company

signify

1662831

NEW!! Day-Brite by Signify NWL440L8CST-UNV-DIM-OCC 4ft LED Wraparound Fixture, 4000 Lumens, Color Selectable 3000K-3500K-4000K, 80 CRI, Occupancy Sensor [1662831]

1662827

NEW!! Stonco by SIgnify GC60-SCT-G2-SM-5-10-BZ 60W LED Garage & Canopy Fixture, CCT Selectable 30K-40K-50K, Surface Mount, 120-347V, Bronze [1662827]

1662828

NEW!! Signify GC90-SCT-G2-SM-5-10-BZ 90W LED Garage & Canopy Fixture, CCT Selectable 30K-40K-50K, Surface Mount, 120-347V, Bronze [1662828]

LIGHTOLIER by signify

Downlighting

Commercial retrofit Downlight DualSelect

4", 6", 8" & 10" round aperture

1744194

NEW!! Lightolier CR6RLMCCT 8" Round LED Retrofit Downlight, 500-1000 Lumens, 3000K/3500K/4000K CCT, 120-347V, White [1744194]

1744193

NEW!! Lightolier CR6RLMCCT 6" Round LED Retrofit Downlight, 500-1000 Lumens, 3000K/3500K/4000K CCT, 120-347V, White [1744193]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

EXN Low Voltage Transformers

to meet DOE efficiency requirements

Above: EXN 45 with front back landing secondary

Above: EXN 45 showing interior

energy efficiency

Features

- New consolidated Style M enclosure
- 150º C rise – largest wiring compartment in the industry
- New top terminals
  - terminal pads are designed for NEMA 2 hole lugs
  - Hs and Xs
- Transforms one component in distribution system
- Inrush design for Square D brand circuit breakers to energize
  - may require 250% rule
  - IZ levels designed for panel AIC levels

Available Options

- Supporting standard North America voltage systems via one enclosure per kVA, regardless of the options chosen
- 480 to 208Y/120 – largest stock availability in the market
  - K1 – 150º C, 115º C, 80º C – aluminum and copper
  - K13 – 150º C – aluminum and copper
  - K4 – 150º C – aluminum and copper
- 480 to 240
  - K1 – 150º C – aluminum
  - 120V center tap 150º C – aluminum
- 480 to 480Y/120
  - K1, 150º C – aluminum
- 208/240 to 208Y/120 – 208/240 to 480Y/277
  - K1, 150º C – aluminum
- 600 to 208Y/120
  - K1, 150º C – aluminum and copper

SQUARE D™

Schneider Electric™

See your Capital Electric Sales Representative for more information.

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

nVent CADDY Rod Lock Spring Steel Rod Hangers

CONNECT AND PROTECT



Since 1956, nVent CADDY is a trusted industry leader of premium fixing and fastening solutions that provides safer, easier-to-use and time-saving solutions for electrical/datacom and HVAC contractors helping improve efficiency on jobsites. With over 60 years of industry experience in designing and manufacturing spring steel fasteners, nVent CADDY is now reinventing its rod hanger range by introducing the patended "push-to-install" Rod Lock technology to it.

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER



- Supports rod from block or concrete walls
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel
Finish: nVent CADDY Armour

Part Number	Rod Size RS	Hole Size HS	A	Static Load F
4QTI	1/4"	0.28"	0.33"	75 lb

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER TO FLANGE CLIP



- Suspends threaded rod from beam flanges
- Threaded rod hanger can swivel to provide a vertical dropdown
- Requires only a hammer to install
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel
Finish: nVent CADDY Armour

Part Number	Rod Size RS	Flange Thickness FT	Static Load F
4QTI24	1/4"	1/8" – 1/4"	75 lb
4QTI58	1/4"	5/16" – 1/2"	75 lb
4QTI912	1/4"	9/16" – 3/4"	75 lb

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER WITH OFFSET BRACKET



- Suspends threaded rod from vertical structures such as laminated wood or concrete beams, joists, ceilings and walls
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel; Steel
Finish: nVent CADDY Armour; Electrogalvanized

Part Number	Rod Size RS	Hole Size HS	A	Static Load F
4QTIO	1/4"	0.28"	0.84"	75 lb

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER TO BEAM CLAMP



- Suspends threaded rod from beam flanges
- Threaded rod hanger can swivel to provide a vertical dropdown
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel
Finish: nVent CADDY Armour

Part Number	Rod Size RS	Flange Thickness FT	Hole Size HS	Torque TQ	Static Load F
4QTIBC	1/4"	1/2" Max	7/16"	20 in lb	75 lb

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER WITH PIN DRIVEN ANGLE BRACKET



- Longer leg angle bracket for tool clearance
- Designed to fit a variety of pin drivers
- Improved for easier installation with pin drivers
- Quickly and easily attaches to concrete, steel or composite metal decking
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel; Steel
Finish: nVent CADDY Armour; Pregalvanized

Part Number	Rod Size RS	Hole Size HS	A	Static Load F
4QTIAFAB3	1/4"	3/16"	1.32"	75 lb

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER WITH NAIL GUN BRACKET



- Suspends threaded rod without the need for additional hardware
- Complete with concrete nail gun insert bracket
- Clips onto nozzle of gas or battery-actuated nail guns allowing for hands-off installation at structure or from the floor using a pole
- Longer leg angle bracket for tool clearance
- Quickly and easily attaches to concrete, steel or composite metal decking
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel; Steel; Nylon
Finish: nVent CADDY Armour; Electrogalvanized

Part Number	Rod Size RS	Height H	Width W	A	B	Static Load F
4QTIGBSF	1/4"	1.92"	2.63"	1.83"	1.42"	75 lb

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER WITH SHOT-FIRE BRACKET



- Suspends threaded rod without the need for additional hardware
- Complete with shot-fire bracket and pre-assembled drive pin from DEWALT®
- Quickly and easily attaches to concrete, steel or composite metal decking
- Integrated pin installs easily using powder-actuated or single-shot gas-actuated tools
- ICC-ES ESR-2024 evaluation report available for drive pin from DEWALT®
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel; Steel
Finish: nVent CADDY Armour; Electrogalvanized

Part Number	Rod Size RS	Height H	Width W	A	B	Static Load F
4QTIBSF	1/4"	2 1/2"	2.65"	1.82"	1.4"	75 lb

NVENT CADDY ROD LOCK SPRING STEEL ROD HANGER WITH ANGLE BRACKET



- Suspends threaded rod from horizontal structures such as laminated wood or concrete beams, joists, ceilings and walls
- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Prefabricated assemblies easily lift and lock into place, helping to save time and money
- Works with slightly damaged threads and minor burrs on threaded rod ends
- Design includes a release mechanism that works with pliers

Material: Spring Steel; Steel
Finish: nVent CADDY Armour; Pregalvanized

Part Number	Rod Size RS	Hole Size HS	A	Static Load F
4QTIB	1/4"	0.28"	0.93"	75 lb

All featured nVent CADDY Rod Lock Spring Steel Rod Hangers are Buy American Act compliant.

Buy American Act COMPLIANT

nVent

Our powerful portfolio of brands:

CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER

nVent CADDY Rod Lock Spring Steel Strut Nut

CONNECT AND PROTECT

The QCN combines the unique properties of Spring Steel and CADDY "push-to-install" technology to create a snap in place strut nut with shockingly quick install of threaded rod or bolts. Use with a hex nut on threaded rod for fast install of prefabricated trapeze systems or with a truss head bolt for unbelievably fast wall mounting of electrical boxes and other services.

FEATURES

- Easy "push-to-install" design allows installers to simply push the threaded rod through the mounting hole, instantly holding it in position
- Works with slightly damaged threads and minor burrs on the threaded rod
- Perfect for quickly installing branch runs either at the load with standard strut or at the structure in combination with embedded strut
- Integrated design eliminates the need for finicky spring nuts and loose hardware, simplifying install
- Quickly wall mount enclosures using common threaded bolts
- Designed for use with standard strut widths (1 5/8" or 41 mm) both shallow and deep profiles

Material: Spring Steel
Finish: nVent CADDY Armour

Part Number	Rod Size RS	Height H	A	B	Static Load 1 F1	Static Load 2 F2	Static Load 3 F3	Torque TQ
4QCN	1/4"	0.72"	1 1/2"	1 1/2"	75 lb	20 lb	30 lb	10 ft lb
5QCN	5/16"	0.72"	1 1/2"	1 1/2"	100 lb	25 lb	50 lb	10 ft lb
6QCN	3/8"	0.72"	1 1/2"	1 1/2"	110 lb	30 lb	50 lb	20 ft lb
8QCN	1/2"	0.67"	1 1/2"	1 1/2"	125 lb	30 lb	50 lb	25 ft lb









1733642

nVent CADDY 6QCN 3/8 Rod Lock Spring Nut [1733642]

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

Capital Electric

A Sonepar Company

Capital Electric provides electrical products, lighting, and services to contractors, builders, and end-users in the Mid-Atlantic and Southeastern regions. We serve customers in the District of Columbia, Maryland, Virginia, Delaware, Pennsylvania, West Virginia, North Carolina, South Carolina, and Georgia from over 70 locations and from our 220,000 square foot headquarters and central distribution center in Upper Marlboro, MD. Our mission is to be The Electrical Distributor of Choice for our customers, our employees, and our suppliers.

PENNSYLVANIA

Chambersburg	420 W. Commerce St, Chambersburg, PA 17201	(717) 264-4631
Gettysburg	1660 Biglerville Rd, Gettysburg, PA 17325	(717) 334-6721
Hanover	100 Kindig Ln, Ste 4, Hanover, PA 17331	(717) 632-7773
Lancaster	1812 Olde Homestead Ln, Ste A, Lancaster, PA 17601	(717) 394-6881
McConnellsburg*	22438 Great Cove Rd, McConnellsburg, PA 17233	(717) 987-0183
Mechanicsburg	4700 Westport Dr, Ste 700, Mechanicsburg, PA 17055	(717) 766-3287
York	1150 N. Sherman St, York, PA 17402	(717) 755-1455

MARYLAND

Annapolis	1816 George Ave, Annapolis, MD 21401	(410) 919-2400
Baltimore	600 W. Hamburg St, Baltimore, MD 21230	(410) 752-4080
Beltsville	10417-B Baltimore Ave, Beltsville, MD 20705	(301) 837-5000
Chestertown	305 N. College Ave, Chestertown, MD 21620	(410) 778-1154
Columbia	9570 Berger Rd, Columbia, MD 21046	(410) 995-6844
Cumberland	86 Wineow St, Cumberland, MD 21502	(301) 777-0060
Frederick	270 Interstate Cir, Ste 200, Frederick, MD 21704	(301) 663-1232
Gaithersburg	15886 Gaither Dr, Ste A, Gaithersburg, MD 20877	(301) 921-4446
Glen Burnie	175 Penrod Ct, Ste Q-S, Glen Burnie, MD 21061	(410) 761-2870
Golden Ring	6903 Golden Ring Rd, Rosedale, MD 21237	(410) 918-0540
Hagerstown (Cross Dock)	12101 Insurance Way, Hagerstown, MD 21740	(301) 302-8575
Hagerstown (Counter)	12111 Insurance Way, Hagerstown, MD 21740	(301) 302-8409
Havre de Grace	1846 Pulaski Hwy, Havre de Grace, MD 21078	(410) 939-5880
Ocean Pines	11070 Cathell Rd, Ste 25, Berlin, MD 21811	(410) 208-0800
Salisbury	1774 Westwood Dr, Salisbury, MD 21801	(410) 546-1221
Timonium	14 W. Aylesbury Rd, Lutherville-Timonium, MD 21093	(410) 252-7020
Upper Marlboro (Office)	8511 Pepco Pl, Upper Marlboro, MD 20772	(301) 909-6500
Upper Marlboro (Counter)	8511 Pepco Pl, Upper Marlboro, MD 20772	(301) 909-6550
Westminster	1101-A Business Pkwy S, Westminster, MD 21157	(410) 848-3050
White Plains	4382 Crain Hwy, White Plains, MD 20695	(301) 885-3232

VIRGINIA

Alexandria	5701 General Washington Dr, Ste A-B, Alexandria, VA 22312	(703) 253-9780
Ashland	11052 Air Park Rd, Ashland, VA 23005	(804) 752-6124
Blacksburg	2901 Prosperity Rd, Ste A, Blacksburg, VA 24060	(540) 953-4590
Charlottesville	2100 Berkmar Dr, Charlottesville, VA 22901	(434) 977-2990
Charlottesville	2390 Hunters Way, Charlottesville, VA 22911	(434) 293-8117
Chesapeake	1122 Executive Blvd, Ste B, Chesapeake, VA 23320	(757) 547-7222
Colonial Heights	1104 W. Roslyn Rd, Colonial Heights, VA 23834	(804) 431-3929
Fairfax	2808 Merrilee Dr, Ste A, Fairfax, VA 22031	(703) 485-8960
Fishersville	1688 Jefferson Hwy, Ste 102, Fishersville, VA 22939	(540) 946-7950
Fredericksburg	11001 Houser Dr, Ste 18, Fredericksburg, VA 22408	(540) 710-7200
Goochland	12925 Plaza Dr, Richmond, VA 23233	(804) 476-3095
Harrisonburg	1602 S. High St, Harrisonburg, VA 22801	(540) 433-8200
Manassas	7203 Gateway Ct, Manassas, VA 20109	(703) 361-6028
Midlothian	2931 Oak Lake Blvd, Midlothian, VA 23112	(804) 588-4866
Newport News	1030 48th St, Newport News, VA 23607	(757) 244-0125
Oyster Point	813 Diligence Dr, Ste 125, Newport News, VA 23606	(757) 327-7914
Richmond	801 Johnston Willis Dr, Richmond, VA 23236	(804) 379-7770
Richmond	1901 N. Hamilton St, Richmond, VA 23230	(804) 355-8003
Roanoke	811-B Connecticut Ave NE, Roanoke, VA 24012	(540) 283-5353
Sterling	45969 Nokes Blvd, Ste 155, Sterling, VA 20166	(703) 444-5080
Virginia Beach	2561 Horse Pasture Rd, Ste 102, Virginia Beach, VA 23453	(757) 821-7733
Virginia Beach	5894 Thurston Ave, Virginia Beach, VA 23455	(757) 460-1161
Williamsburg	1637 Merrimac Trl, Williamsburg, VA 23185	(757) 253-1440
Winchester	2740 S. Pleasant Valley Rd, Winchester, VA 22601	(540) 662-1769
Woodbridge	3320 Noble Pond Way, Ste 106, Woodbridge, VA 22193	(703) 586-9590

WEST VIRGINIA

Martinsburg	48 Brian Dr, Martinsburg, WV 25405	(304) 263-1212

NORTH CAROLINA

Charlotte (Tools & Safety Ctr)	4400 South Tryon St, Charlotte, NC 28217	(704) 529-1523
Charlotte	1407-C Westinghouse Blvd, Charlotte, NC 28273	(704) 588-6878
Durham	4001 Stirrup Creek Dr, Ste 600, Durham, NC 27703	(919) 384-7093
Fayetteville	334 E. Mountain Dr, Fayetteville, NC 28306	(910) 323-0303
Gastonia	1434 Castle Ct, Gastonia, NC 28052	(704) 866-6000
Greensboro	407-A Pomona Dr, Greensboro, NC 27407	(336) 294-3257
Hickory	222 22nd St SW, Hickory, NC 28602	(828) 328-2295
Pittsboro	2985 US Hwy 15 501 N, Pittsboro, NC 27312	(919) 533-3406
Raleigh	2539 Noblin Rd, Ste 107, Raleigh, NC 27604	(919) 876-3650

SOUTH CAROLINA

Anderson	111 Lacannon Rd., Piedmont, SC 29673	(864) 932-4126
Bluffton (Hilton Head)	23 Simmonsville Rd, Bluffton, SC 29910	(843) 706-1600
North Charleston	4801-A Rivers Ave, North Charleston, SC 29406	(843) 745-6900
Columbia	900 Sunset Blvd, West Columbia, SC 29169	(803) 739-6000
Myrtle Beach	3908 Wesley St, Myrtle Beach, SC 29579	(843) 236-8603
Summerville	1156 Drop Off Drive, Summerville, SC 29483	(843) 761-6627

GEORGIA

Augusta	806 Trane Rd, Augusta, GA 30909	(706) 736-7021
Savannah (Pooler)	83 Columbia Dr, Pooler, GA 31322	(912) 964-3013

The electrical distributor of choice

*sales office only

20211215

Capital Electric Location Map

Capital Electric Counter Locations

Pennsylvania
1. Chambersburg
2. Gettysburg
3. Hanover
4. Lancaster
5. McConnellsburg*
6. Mechanicsburg
7. York

Maryland
8. Annapolis
9. Baltimore
10. Beltsville
11. Chestertown
12. Columbia
13. Cumberland
14. Frederick
15. Gaithersburg
16. Glen Burnie
17. Golden Ring
18. Hagerstown
19. Havre de Grace
20. Ocean Pines
21. Salisbury
22. Timonium
23. Upper Marlboro
24. Westminster
25. White Plains

Virginia
26. Alexandria
27. Ashland
28. Blacksburg
29. Charlottesville
30. Charlottesville
31. Chesapeake
32. Colonial Heights
33. Fairfax
34. Fishersville
35. Fredericksburg
36. Goochland
37. Harrisonburg

Virginia Cont'd
38. Manassas
39. Midlothian
40. Newport News
41. Oyster Point
42. Richmond
43. Richmond
44. Roanoke
45. Sterling
46. Virginia Beach
47. Virginia Beach
48. Williamsburg
49. Winchester
50. Woodbridge

West Virginia
51. Martinsburg

North Carolina
52. Charlotte
53. Charlotte
54. Durham
55. Fayetteville
56. Greensboro
57. Hickory
58. Gastonia
59. Pittsboro
60. Raleigh

South Carolina
61. Anderson
62. Bluffton (Hilton Head)
63. North Charleston
64. Columbia
65. Myrtle Beach
66. Summerville

Georgia
67. Augusta
68. Savannah



The electrical distributor of choice

Capital Electric
A Sonepar Company
capitalelectricsupply.com

20211215

SMART BUYS

MANUFACTURER'S INDEX

Arlington 26
Brady 27
BRK 23
Broan Nutone 28
Connectrac 39
Cooper 4-7
Cully/Minerallac 31
Eaton Bussmann 29
Eaton Crouse Hinds 32
EPCO 16
Fluke 33
Generac 35
GM Lighting 1,20
Greenlee 36, 37
Ideal 30
Itool 40, 41
ILSCO 38
Intermatic 22
Juno 3
Kidde 24, 25
Kraloy 46
Legrand 34
Light Efficient Design 15
Lithonia Lighting 10
Louisville Ladders 43
Lutron 14
nVent CADDY 50-52
Progress Lighting 21
Qmark Marley 47
RAB 1,17-19
Ridgid 1,45
Schneider/Square D 49
Signify 48
Sylvania 12, 13
ZLED Lighting 11

Not all products available at all locations. Please speak to your Capital Electric Sales Representative for more information. Capital Electric is not responsible for misprints or typos. Prices are subject to change without notice.

SQUARE D™

Schneider Electric™

Capital Electric
A Sonepar Company

capitalelectricsupply.com

20211220